



ZEFIRO & ZEFIRO LIGHT

6 mm



- | | | |
|---|--|--|
| > 200 cm altezza standard | > 200 cm standard height | > Hauteur standard 200 cm |
| > Trattamento vetri anticalcare incluso | > Glass anti-scale treatment included | > Traitement anti-calcaire compris |
| > Cerniera di snodo apribile solamente verso l'esterno per facilitare l'apertura dell'anta pieghevole | > Joint hinge that can be opened only outwards to facilitate opening of the folding door | > Charnière de jonction qui ne peut être ouverte que vers l'extérieur pour faciliter l'ouverture de la porte pliante |
| > Installazione vetro senza silicone | > Silicone-free glass installation | > Installation du verre sans silicone |

Configurazione ad anta pieghevole, vestita della nuova maniglia Zefiro orizzontale a passo ridotto. Questa soluzione offre una solida impugnatura, di facile accompagnamento in fase di apertura e chiusura dell'anta.

Bi-fold door configuration, fitted with the new Zefiro horizontal handle with reduced pitch. This solution offers a solid grip, making it easy to open and close the door.

Configuration à porte pliante, équipée de la nouvelle poignée Zefiro horizontale à pas réduit. Cette solution offre une prise solide, facile à accompagner lors de l'ouverture et de la fermeture de la porte.





Pieghevole
Bi-fold door

